



# 2024


## COMMERCIAL BATTERIES



**Continental**  
BATTERY SYSTEMS  
The Single Source Solution™

# COMMERCIAL BATTERIES

Continental  
BATTERIES

	NOMINAL VOLTAGE	BCI	CCA	RC	PART NUMBER	DIMENSIONS			BRAND	WARRANTY
						L	W	H (in)		
<b>CONTINENTAL COMMERCIAL AGM HD</b>										
 31S-AGM-HD	12V	31S	800	180	31S-AGM-HD	13	6.81	9.4	Continental Commercial AGM HD	24 months
	12V	31S	925	200	31S-AGM-XHD	13	6.81	9.4	Continental Commercial AGM Extra HD	24 months
<b>FLOODED LEAD ACID (FLA)</b>										
<b>GROUP 31: Anchor Bonded</b>										
 31SAB-HC	12V	31S	700	190	31SAB-HC	13.0	6.8	9.4	Continental Heavy Duty	18 months
	12V	31A	750	180	31AAB-HD	13.0	6.8	9.4	Continental Heavy Duty	18 months
	12V	31S	750	180	31SAB-HD	13.0	6.8	9.4	Continental Heavy Duty	18 months
	12V	31A	950	195	31AAB-XHD	13.0	6.8	9.4	Continental Extra HD	18 months
	12V	31S	950	195	31SAB-XHD	13.0	6.8	9.4	Continental Extra HD	18 months
<b>GROUP 31: Enhanced Flooded Batteries (EFB)</b>										
 31SAB-HC	12V	31A	950	200	31A-MX	13.0	6.8	9.4	Continental Mixtech	24 months
	12V	31S	950	200	31S-MX	13.0	6.8	9.4	Continental Mixtech	24 months
	12V	31S	800	195	31S-MXHC	13.0	6.8	9.4	Continental Mixtech	24 months
<b>GROUP 31: Traditional FLA</b>										
 31SAB-HC	12V	31A	750	165	31A-HD	13.0	6.8	9.4	Continental Heavy Duty	12 months
	12V	31S	750	165	31S-HD	13.0	6.8	9.4	Continental Heavy Duty	12 months
	12V	31A	950	180	31A-XHD	13.0	6.8	9.4	Continental Extra HD	18 months
	12V	31S	950	180	31S-XHD	13.0	6.8	9.4	Continental Extra HD	18 months
	12V	31A	1000	190	31A-X	13.0	6.8	9.4	Continental Extreme HD	18 months
	12V	31S	1000	190	31S-X	13.0	6.8	9.4	Continental Extreme HD	18 months
<b>Continental Severe Duty</b>										
	12V	24	800	135	24-SD	10.3	6.8	8.9	Continental Severe Duty	18 months
	12V	24F	800	135	24F-SD	10.8	6.8	9.0	Continental Severe Duty	18 months
	12V	27	800	140	27-SD	12.1	6.8	8.9	Continental Severe Duty	18 months
	12V	27F	800	140	27F-SD	12.5	6.8	8.9	Continental Severe Duty	18 months
	12V	34/78	800	120	78DT-SD	10.3	7.1	7.9	Continental Severe Duty	18 months
	12V	35	600	95	35-SD	9.1	5.9	8.9	Continental Severe Duty	18 months
	12V	48 (L3/H6)	770	130	48-SD	11.0	6.9	7.5	Continental Severe Duty	18 months
	12V	65	880	145	65-SD	12.1	7.6	7.6	Continental Severe Duty	18 months
	12V	78	800	120	78-SD	10.3	7.1	7.3	Continental Severe Duty	18 months
	12V	94R (L4/H7)	800	135	94R-SD	12.4	6.9	7.5	Continental Severe Duty	18 months

# COMMERCIAL BATTERIES



3EH-6V



8D-HD



N150-HD

NOMINAL VOLTAGE	BCI	CCA	RC	PART NUMBER	DIMENSIONS			BRAND	WARRANTY
					L	W	H (in)		
<b>6V-8V</b>									
6V	1	625	160	1-6V	9.1	7.1	9.4	Continental Commercial	12 months
6V	2	625	150	2-6V	10.4	7.1	9.4	Continental Commercial	12 months
6V	3EH	850	280	3EH-6V	19.3	4.4	9.8	Continental Commercial	12 months
6V	4	975	250	4-6V	13.1	7.1	9.4	Continental Commercial	12 months
6V	5D	1000	300	5D-6V	13.8	7.1	9.4	Continental Commercial	12 months
8V	1	360	110	1-8V	9.1	7.1	9.4	Continental Commercial	12 months
<b>12V</b>									
12V	4D	1000	290	4D-HD	20.8	8.8	9.8	Continental Heavy Duty	12 months
12V	4D	1000	290	4DMF-HD	20.8	8.8	9.8	Continental Heavy Duty	12 months
12V	8D	1155	320	8D-HD	20.8	11.1	9.8	Continental Heavy Duty	12 months
12V	8D	1100	400	8DMF-HD	20.8	11.1	9.8	Continental Heavy Duty	12 months
12V	8D	1400	425	8DMF-XHD	20.8	11.1	9.8	Continental Extra HD	12 months
12V	8D	1400	450	8D-XHD	20.8	11.1	9.8	Continental Extra HD	12 months
12V	30H	675	175	30H-HD	13.5	6.8	9.3	Continental Heavy Duty	12 months
12V	70	500	80	70-HD	8.2	7.1	7.3	Continental Heavy Duty	12 months
12V	D4	800	140 AH	D4-HD	20.2	7.4	8.8	Continental Heavy Duty	12 months
12V	D5	1250	180 AH	D5-HD	20.2	8.8	8.8	Continental Heavy Duty	12 months
12V	EU456	950	140 AH	EU456-HD	19.3	6.6	8.3	Continental Heavy Duty	12 months
<b>N-Series Commercial Batteries</b>									
12V	NS40Z	280	57	NS40Z-HD	7.4	5.0	8.9	Continental Heavy Duty	12 months
12V	NS40ZL	280	57	NS40ZL-HD	7.4	5.0	8.9	Continental Heavy Duty	12 months
12V	NS60Z	500	70	NS60Z-HD	9.4	5.1	8.9	Continental Heavy Duty	12 months
12V	NS60ZL	500	70	NS60ZL-HD	9.4	5.1	8.9	Continental Heavy Duty	12 months
12V	N100	660	105	N100-HD	16.1	6.9	9.1	Continental Heavy Duty	12 months
12V	N100L	660	105	N100L-HD	16.1	6.9	9.1	Continental Heavy Duty	12 months
12V	N120	880	260	N120-HD	12.1	6.8	8.9	Continental Heavy Duty	12 months
12V	N150	1100	320	N150-HD	20.0	8.7	10.1	Continental Heavy Duty	12 months
12V	N200	1300	220	N200-HD	20.5	10.9	10.6	Continental Heavy Duty	12 months

The Single Source Solution™

# LEADING THE CHARGE NATIONWIDE!

## LOCATIONS



## BRANDS

**Continental**  
BATTERIES

**TROJAN**  
BATTERY COMPANY  
**ODYSSEY**  
BATTERY

**OPTIMA**  
BATTERIES  
THE ULTIMATE POWER SOURCE  
**Discover**

**CROWN**  
BATTERIES  
**ACDelco**  
**FULLRIVER**

**Precision**

**DAKOTA LITHIUM**

**ROYPOW**

**INVENTUS**  
POWER

**BRIGHT WAY GROUP**

**EnerSys**

**Cyclon**

**CD**  
TECHNOLOGIES

**CS3**

**MOTOBATT**

**BULLDOG**  
BATTERY

**simpliphi**  
Power. On Your Terms.

**Energizer**

**PROCELL**  
BY THE DURACELL COMPANY

**Rolls**  
BATTERY ENGINEERING

**MEGAVOLT**  
BATTERY

**NOCO**  
**delta-q**  
TECHNOLOGIES

**Lester**  
ELECTRICAL

**Battery Tender**

**victron energy**  
SMART POWER

**PRO Charging Systems**

**NEBO**

**QUICKCABLE**

**MIDTRONICS**

## APPLICATIONS

ALARM

AUTOMOTIVE

AWP

COMMERCIAL /  
TRUCKING

DEEP CYCLE

ELECTRIC VEHICLE

FARM / AG

FLOOR SCRUBBER

GOLF CART/ EV/ LSV

INDUSTRIAL

LAWN / GARDEN

MARINE

MATERIAL HANDLING

MEDICAL MOBILITY

POWERSPORTS

RENEWABLE / SOLAR

RV

TELECOM

TRAILER

BREAKAWAY KITS

UPS / BACK-UP POWER

WORK & HOME

BATTERIES



## The Single Source Solution™

CONTINENTAL BATTERY SYSTEMS  
GLOBAL HEADQUARTERS  
8585 N. STEMMONS FREEWAY, FLOOR 6  
DALLAS, TX 75247  
844-935-1186

GOCBS.COM

© 2024 Continental Battery Systems. All rights reserved. The information contained in this catalog is for informational purposes only. Continental Battery Systems makes no guarantee, expressed or implied, as to the accuracy of the catalog content and is not responsible for the improper application or misuse of products and any complications based in whole or in part upon the use of this information. Specifications are accurate to the best of our knowledge. CBS and other battery manufacturers may change battery specs at any time. Some products are not available in all geographic regions. All marks used herein are the property of their respective owners and are used with permission. Part numbers and specifications referenced in this document are subject to change without prior notice. Please contact your sales representative to verify any part-specific information. C02-2024